

LADDERS

HARD-WEARING, WITH AN EXCEPTIONAL FINISH



Technical Specifications

Materials	Stainless steel with bright polished finish, AISI 304 or AISI 316
Tubing diameter	Ø 43 mm
Includes	Non-slip steps, tubing plugs, anchors with earth connection, screws and escutcheon plates.

AISI 316 ladders include a sacrificial anode for improving the resistance against corrosion.

STANDARD LADDERS

Code	Ref.	AISI stainless steel	No. steps	Weight (kg).	Vol. (m³)	qty/pallet	M.O.Q**	DIMENSIONS mm		
								Depth	Width	Height
070101020000F	PI 2 KF	304	2	10	0.06	20	1	657	500	1326
070101030000F	PI 3 KF	304	3	11.8	0.07	20	1	657	500	1576
070101040000F	PI 4 KF	304	4	13.2	0.08	20	1	657	500	1826
070101050000F	PI 5 KF	304	5	14	0.09	20	1	657	500	2076

** (minimum order quantity)

STRAIGHT LADDERS

Code	Ref.	AISI stainless steel	No. steps	Weight (kg).	Vol. (m³)	qty/pallet	M.O.Q**	DIMENSIONS mm		
								Depth	Width	Height
070201020000F	MI 2 KF	304	2	10	0.06	20	1	350	500	1326
070201030000F	MI 3 KF	304	3	11.8	0.07	20	1	350	500	1576
070201040000F	MI 4 KF	304	4	13.2	0.08	20	1	350	500	1826
070201050000F	MI 5 KF	304	5	14	0.09	20	1	350	500	2076

** (minimum order quantity)

MIXED LADDERS

Code	Ref.	AISI stainless steel	No. steps	Weight (kg).	Vol. (m³)	qty/pallet	M.O.Q**	DIMENSIONS mm		
								Depth	Width	Height
070301020000F	MXI 2 KF	304	2	10	0.06	20	1	350	500	1326
070301030000F	MXI 3 KF	304	3	11.8	0.07	20	1	350	500	1576
070301040000F	MXI 4 KF	304	4	13.2	0.08	20	1	350	500	1826
070301050000F	MXI 5 KF	304	5	14	0.09	20	1	350	500	2076





** (minimum order quantity)

TWO-PART LADDERS

Code	Ref.	AISI stainless steel	No. steps	Weight (kg).	Vol. (m³)	qty/pallet	M.O.Q**	DIMENSIONS mm		
								Depth	Width	Height
070510320000F	PD1 HF	316	-	7.5	0.072	-	1 pair	480	500	795
070510030200F	IDP 3 KF	316	3	11	0.108	10	1	170	500	765
070510040200F	IDP 4 KF	316	4	12.5	0.0108	10	1	170	500	1015
070510050200F	IDP 5 KF	316	5	14	0.159	10	1	170	500	1265

Exit grab rails for two-part ladders (070510320000F) not included, must be ordered additionally.

** (minimum order quantity)



Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48

Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курган (3522)50-90-47
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Ноябрьск (3496)41-32-12

Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саранск (8342)22-96-24
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35

Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Улан-Удэ (3012)59-97-51
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132


Киргизия +996(312)96-26-47

www.kripsol.nt-rt.ru || kop@nt-rt.ru

→ EASY ACCESS LADDERS

Code	Ref.	Stainless steel	No. steps	Weight (kg).	Vol. (m³)	qty/pallet	M.O.Q**	DIMENSIONS mm		
								Depth	Width	Height
070810230000	EAJ 3	316	3	16	0.19	--	1	1000	500	1670
070810240000	EAJ 4	316	4	17	0.24	--	1	1000	500	1890


** (minimum order quantity)



→ SEMI INGROUND POOL LADDERS

Code	Ref.	Stainless steel	No. steps	Weight (kg).	Vol. (m³)	qty/pallet	M.O.Q**	DIMENSIONS mm		
								Depth	Width	Height
070601840000F	ESP 4HF	304/ABS	4+1	17.0	0.10	11	1	920	483	2016
070601850000F	ESP 5HF	304/ABS	5+1	19.0	0.10	11	1	1020	483	2216

** (minimum order quantity)



→ ABOVE GROUND POOL LADDERS

Code	Ref.	Stainless steel	No. steps	Weight (kg).	Vol. (m³)	qty/pallet	M.O.Q**	DIMENSIONS mm		
								Depth	Width	Height
070701830000F	EEP 3HF	304/ABS	3+3	19	0.10	11	1	1287	483	1695
070701840000F	EEP 4HF	304/ABS	4+4	21	0.10	11	1	1586	483	2016
070701850000F	EEP 5HF	304/ABS	5+5	23	0.10	11	1	1773	483	2216

** (minimum order quantity)





DIAGRAM SHOWING INSTALLATION OF THE LADDERS ON THE POOL EQUIPOTENTIAL NETWORK OR EARTHING SYSTEM



ACCESSORIES FOR LADDERS




Our design philosophy is always focused on user safety: all our ladders are approved for connection to an equipotential network, whether through the anchor or through the flange, and our built-in ladders can be equipped with a double safety step to avoid accidents on the rungs. Of course, all our steps have a non-slip surface as standard.

➔ EXIT GRAB RAILS FOR TWO-PART LADDERS

Code	Ref.	Stainless steel	Units	Tubing Ø mm	Weight (kg)	Vol. (m³)	M.O.Q**
070510320000F	PD 1HF	316	2	43	7.5	0.072	1

** (minimum order quantity)



➔ UNIVERSAL ANCHORS WITH FLANGES

Code	Ref.	Stainless steel	Type of anchor	Units	Tubing Ø mm	Height mm	Weight (kg)	Vol. (m³)	M.O.Q**
071501103040F	AB 1HF	304	Fixed	1	40	150	0.5	0.015	2
071501203160F	AB 2HF	304	Folding	1	40	150	0.7	0.015	2

Compatible with the STANDARD, STRAIGHT, ASYMMETRIC and MIXED ranges.
Screws, washers, rawlplugs and elastic joints included.

** (minimum order quantity)



AB 2HF

This allows the ladder to be pivoted upwards, without removing it completely, to free up the pool basin for all kinds of other operations.



AB 1HF

Allows the ladder to be removed manually without the use of tools.

➔ SAFETY STEP


The safety step is made up of a pair of non-slip surfaces.
Use of this type of step is recommended to avoid slips and entrapments between the ladder and the wall when getting into or out of the pool.
All our ladder models are compatible with inclusion of this step.
It can also be added to ladders that are already installed.
Complies with European standards EN-13451-1 and EN-13451-2.



RES 017

Code	Ref.	Stainless steel	Weight (kg)	M.O.Q**
071502316000F	RES 017HF	316	1.3	1

** (minimum order quantity)



- ➔ Made of bright polished AISI 316 stainless steel
- ➔ Attachment with flanges and screws, or built-in
- ➔ Models with flanges are supplied with joints, rawlplugs and screws

➔ STAINLESS STEEL GRAB RAILS

Code	Ref.	Stainless steel	Length A mm	Height B mm	Tubing Ø mm	Attachment	Weight (kg)	Vol. (m³)	M.O.Q**
073510101000F	AS 101HF	316	1 000	112.5	43	Screws	2.15	0.039	1
073510201000F	AS 201HF	316	2 000	112.5	43	Screws	5.0	0.088	1
073587180055F	AS 051HF	316	500	112.5	43	Screws	1.05	0.020	1
073587180154F	AS 151HF	316	1 500	112.5	43	Screws	3.20	0.059	1

** (minimum order quantity)

➔ KIT FOR LINER A-316

Item	Ref.	Stainless steel	Weight	M.O.Q**
073687100021F	Kit Liner	AISI 316	-	1 pack (2 pcs)

** (minimum order quantity)



➔ SACRIFICIAL ANODE FOR LADDERS

Item	Ref.	Stainless steel	Weight	M.O.Q**
500787170020F	Ladder Anode	-	-	1

** (minimum order quantity)







- ➔ Made of bright polished AISI 316 stainless steel
- ➔ Attachment with flanges and screws, or built-in
- ➔ Models with flanges are supplied with joints, rawlplugs and screws

➔ STAINLESS STEEL HANDRAILS

Code	Ref.	Stainless steel	Length (a) mm	Height (b) mm	Tubing Ø mm	Attachment	Weight (kg)	Vol. (m³)	M.O.Q**
073601120001F	BP 1201HF	316	1 219	677	43	Screws	8.2	0.136	1
073601150001F	BP 1501HF	316	1 524	915	43	Screws	9.1	0.159	1
073687162260F	BP 1801HF	316	1 829	1 169	43	Flange / Screws	10.0	0.182	1
073687468013F	BP FE1201HF	316	1 255	-	43	Flange / Screws	8.0	-	1
073610123501F	BPFE 1401HF	316	1 405	953	43	Screws	8	-	1
073687168027F	BP FE1400HF	316	1 405	-	43	Cast-in anchor	10.0	-	1

Built-in handrails are supplied with an anchor featuring a connector to an equipotential network.

** [minimum order quantity]



Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48

Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курган (3522)50-90-47
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижегород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Ноябрьск (3496)41-32-12

Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саранск (8342)22-96-24
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35

Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.kripsol.nt-rt.ru | kop@nt-rt.ru